

## **vMonitor** - Customer Information Kit

### **Product Features:**

1. Manage from 15 to 300 network nodes (router, switch, server, storage, printer, ap...)
2. TCP/IP and SNMP protocol support
3. Intelligent network / application / SNMP discovery across WAN and VPN
4. Monitor network device up / down status (icmp ping)
5. Monitor network application (Web, Mail, FTP, DNS, well-known appl...)
6. Monitor network traffic and resource (SNMP, Bandwidth, CPU, Memory...)
7. Monitor network security (Web CGI Scripts, TCP/IP Port)
8. Real time performance graph / historical performance report
9. Instant alarm notification (Email, SMS and Winpopup)
10. Flexible report output (preview, printer, pdf, excel/word, xml, rtf/csv/txt...)
11. SNMP MIB browser and SNMP Traps handling
12. 5 min quick start setup and configuration
13. Cost effective start from USD20 per monitored network node


### **Benefits of using vMonitor NMS:**

1. Proactive problem detection and notification
2. Network resource monitoring, planning and allocation
3. Audit network device and application
4. Quickly identify and isolate network / performance issues
5. Identify abnormal network resource trends
6. Reduce network and application downtime
7. Reduce support resources and improve system efficiency



**Product Specifications:**

Network Node/Device Configuration	Automatic scan for SNMP/Workgroup
	Automatic scan for IP Range / Single Host
	Manual configuration
Application/Service Configuration	Automatic scan
	Manual configuration
Application/Service Monitoring	PING network response time
	SMTP server response time
	POP3 server response time
	IMAP4 server response time
	LDAP server response time
	TELNET server response time
	DNS server response time
	HTTP server response time
	FTP server response time
	SNMP server response time
SNMP Monitoring	All devices – monitor network traffic and threshold alarm for up to 8 interfaces.
	Certified devices – CPU, Memory, Storage.
Security Monitoring	Web – CGI/Scripts, TCP Port – 1 to 32000
Frequency of Monitoring	0.5, 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 45, 60 minutes
Alert Notification	Email – SMTP email send by build-in SMTP server
	WinPopup – Window popup message
	SMS – through Nokia mobile phone
	Sound – wave file
Report Output Format	Screen Preview
	Printer
	PDF
	Excel / Word
	ODBC
	XML
	RTF, CSV, Text
Language	English, Chinese (GB/B5), Korean



## **vMonitor - Customer Information Kit**

### **System Requirement:**

OS – Windows XP, Windows 2000 SP2 or Windows NT 4 SP6+MDAC

Memory – 256MB Ram

Storage – 30MB for installation, up to 2GB for log files.

Processor – PIII 750MHz

Display – 1024x768 min, 1280x1024 recommended, 16bit color

Network – TCP/IP connection

### **Software Trial:**

vMonitor is available for 30 days trial from internet download.

China:

Software – <ftp://downloadcn.monitor724.com/download/setup.exe>

Manual – <ftp://downloadcn.monitor724.com/download/manual.pdf>

HongKong:

Software – <ftp://downloadhk.monitor724.com/download/setup.exe>

Manual – <ftp://downloadhk.monitor724.com/download/manual.pdf>

Singapore:

Software – <ftp://downloadsg.monitor724.com/download/setup.exe>

Manual – <ftp://downloadsg.monitor724.com/download/manual.pdf>

Taiwan:

Software – <ftp://downloadtw.monitor724.com/download/setup.exe>

Manual – <ftp://downloadtw.monitor724.com/download/manual.pdf>

The trial software is full featured (same as the licensed copy) and upgradeable to full license.

### **Price:**

The Published License Fee for vMonitor is base on number of network node to monitor:

1. 15 nodes Basic license fee – USD750.00
2. 25 nodes Standard license fee – USD1000.00
3. 50 nodes Premium license fee – USD1500.00
4. 150 nodes Enterprise license fee – USD3000.00

Please email to [info@monitor724.com](mailto:info@monitor724.com) for sales and product inquiry.